Anvil Plus
SPC vinyl plank

7063 Accent Pine

Shaw FLOORS

Anvil Plus

	US Units	Metric Units
Style Number	2032V	
Construction	SPC	
Profile	Click	
Size	7" x 48"	17.78 cm x 121.92 cm
Overall Thickness	0.173"	4.4 mm
Wear Layer Thickness	6 mil (0.006")	0.2 mm
Finish	ArmourBead	
Edge Description	Square	
Area per Carton	27.73 sq ft	2.58 sq m
Area per Pallet	1525.15 sq ft	141.69 sq m
Installation	Floating	
Installation Grade	Above, On, Below	
Ortho-Phthalates Free	Yes	
FloorScore Certified	Yes	
Residential Warranty	Lifetime	
Commercial Warranty	7 Year Light Commercial	
Smoke Density (ASTM E662, Flaming Mode)	Passes, <450	
Radiant Panel (ASTM E648)	Passes, Class I	

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Features

Exceptionally durable and easy to clean, Anvil Plus is a waterproof vinyl style ideal for areas of the home prone to splashes and spills. Strong and stylish, it is available in variety of visuals that pay homage to the character-driven appeal of several hardwood species. Plus, it comes standard with Soft Silence® acoustical pad for noise reduction and added comfort.

Colors

295 Chatter Oak

296 River Bend Oak

297 Mineral Maple

915 Dark Elm

1023 Beach Oak

5077 Clean Pine

5078 Greige Walnut

7061 Highlight Oak

7062 Grey Chestnut

7063 Accent Pine

Shaw® FLOORS

Anvil Plus

Coordinating Trim

Baby Threshold*	T-Molding*	Multi-Purpose Reducer*	Quarter Round	Flush Stairnose
BT3HS	94"	VHTMD	94"	VHMPR	94"	VSQT1	94"	VFSN4	94"
VSBT2	94"				

*Packaged with molding track

Coordinating Metal Trim

Finish	Reducer	T-Mold	Stair Cap
Satin Silver	143SA	146SA	140SA
Satin Nickel	144SA	147SA	141SA
Dark Bronze	145SA	148SA	142SA

Installation Range

Profile Size	Installation Range
3.5mm	1.5mm to 3.5mm heights
5.5mm	3.6mm to 5.5mm heights
8mm	6mm to 8mm heights

TREADZ®

Center	LVCTR
Right	LVCAR
Left	LVCAL
White Riser	LVWRI*

*packages of 3